



GRIDDLE TRAY

OWNER'S MANUAL & INSTALLATION INSTRUCTIONS



SP56-567



SCAN ME for
more information



Above. Beyond. Always.

GRIDDLE TRAY

INSTALLATION INSTRUCTIONS

INTRODUCTION

Slide out griddle tray with clip on shelves to provide additional shelf space. Griddle tray fits most common 24" RV griddle sizes. **Common Use:** The Griddle Tray is designed to function as a locking slide in/out platform for an RV griddle. The tray has removable shelves on either side to provide additional workspace.

Dimensions closed without shelves: 22.5"w x 25.375"d x 4.125"h

Dimensions open without shelves: 22.5"w x 40.25"d x 4.125"h

Dimensions open with both shelves: 38.75"w x 40.25"d x 4.125"h

Tools Required:

- (x10) #12 (1/4") x 1" Screws
- Nut Driver and Bit (specific to screw)

PREPARATION

General Safety & Warnings:

-  **WARNING** Read and understand all instructions and warnings prior to installation.
-  **WARNING** Failure to follow the instructions and heed the warnings of this document may result in injury, damage to the trailer and/or property, and/or voidance of the product warranty. Always utilize appropriate safety equipment, i.e. proper eye protection, hearing protection, gloves, etc.
-  **WARNING** You are personally responsible for following safe installation procedures and completing appropriate safety checks.
-  **WARNING** Due to heat transfer from griddle/grill, the brackets/mounts may at times be hot to the touch.
-  **WARNING** Brackets/mounts should only be used in a manner consistent with their common/intended use.
-  **WARNING** Brackets/mounts are designed to be adjustable which creates potential pinch points; keep clear of pinch points while stowing or adjusting your bracket/mount for use.



Above. Beyond. Always.

GRIDDLE TRAY

INSTALLATION INSTRUCTIONS

INSTALL INSTRUCTIONS

STEP 1

Determine a location for the griddle tray to be installed.

STEP 2

Set the left and right shelves to the side, then place the main griddle tray body in the desired installation location.

STEP 3

Lift each of the blue slide locking mechanisms and partially slide the tray outward, exposing some of the mounting holes.

Note: DO NOT fully extend the griddle tray slide prior to inserting at least one mounting screw on each side of the mounting bracket.

STEP 4

Install one screw in each side of the mounting bracket.

STEP 5

Extend the tray, fully exposing the remaining mounting holes and install the rest of the mounting hardware.

OPERATING INSTRUCTIONS

STEP 1

Facing the slide-out, lift both left and right slide locking mechanisms and guide the slide all the way out until each slide locks in place.

STEP 2

Install each shelf by placing the 2 notches onto the 2 mushroom bolts.



At MORryde, we have a passion for solving problems. Whether we're fabricating custom solutions, modifying a commercial chassis, or creating our innovative products, we answer to a wide range of markets and deliver on a variety of needs. At MORryde, it's simply about doing MORE for our customers, and it doesn't stop at the sale. We stand behind our products, believing in quality first, service always. No matter the issue, we'll be the first to respond and the last to be satisfied. In short, we build better — together.

Questions? Contact the Parts Department at **574-293-1581** or email parts@morryde.com.

Griddle Tray | VERSION 6



574.293.1581 • MORryde.com

